

BACKLIT FILM

CODE	PRODUCT	BASE	INK COMPATIBILITY				SURFACE	BACK SIDE	THICKNESS		WEIGHT (g/m ²)	WIDTH (INCH)	LENGTH (M)	LENGTH (ft)
			WATER BASED	(ECO) SOLVENT	LATEX	UV			(µm)	(mil)				
SBFM	Backlit Film Matte / 205 µm (8.2 mil)	PET		✓	✓	✓	Matte	N/A	205	8.2	275	36, 42, 54, 60	30, 50	98.4, 164
SBFS	Backlit Film Satin / 205 µm (8.2 mil)	PET		✓	✓	✓	Satin	Matte	205	8.2	275	36, 42, 54, 60	30, 50	98.4, 164
SBFG	Backlit Film Glossy / 205 µm (8.2 mil)	PET		✓	✓	✓	Glossy	Matte	205	8.2	275	36, 42, 54, 60	30, 50	98.4, 164
WBF	Backlit Film Matte / 205 µm (8.2 mil)	PET	✓		✓	✓	Matte	Glossy	205	8.2	275	36, 42, 54, 60	30, 50	98.4, 164
LBFM	Backlit Film Matte / 185 µm (7.4 mil)	PET			✓	✓	Matte	Glossy	185	7.4	255	36, 42, 54, 60	30, 50	98.4, 164

FEATURE

- Our backlit films have excellent light diffusivity and can express more vivid colors, which are best for lightboxes and backlit signs.
- You can choose according to your needs as we offer both water and solvent-based PET.
- Water resistant (except WBF if printed with water-based ink).

APPLICATION

- Backlit displays and signage
- Tradeshow displays
- Lightbox graphics
- Window graphics



PREMIUM BANNER

CODE	PRODUCT	BASE	INK COMPATIBILITY				SURFACE	BACK SIDE	THICKNESS		WEIGHT (g/m ²)	WIDTH (INCH)	LENGTH (M)	LENGTH (ft)
			WATER BASED	(ECO) SOLVENT	LATEX	UV			(µm)	(mil)				
SDF180	Premium Roll Up Display Banner Matte / 180 µm (7.2 mil) / Silver Back	Multi-Layers		✓	✓	✓	Matte	Silver	185	7.4	226	36, 42, 54, 60	30, 50	98.4, 164
SDF250	Blockout Roll Up Display Banner Back Side Printable with Latex and UV Matte / 250 µm (10.0 mil)	Multi-Layers		✓	✓	✓	Matte	White	250	10.0	230	36, 42, 54, 60	30, 50	98.4, 164
SDF350	Eco-Sol Pop Up Blockout 350 Matte	Multi-Layers		✓	✓	✓	Matte	White	340	13.6	360	36, 42, 54, 60	30, 50	150, 164
SDF450	Blockout Roll Up Display Banner Matte / 450 µm (18.0 mil)	Multi-Layers		✓	✓	✓	Matte	White	450	18.0	510	36, 42, 54, 60	30, 50	98.4, 164
WDF180	Premium Roll Up Display Banner Matte / 180 µm (7.2 mil) / Silver Back	Multi-Layers	✓		✓	✓	Matte	Silver	180	7.2	226	36, 42, 54, 60	30, 50	98.4, 164
WDF250	Blockout Roll Up Display Banner Back Side Printable with Latex and UV Matte / 250 µm (10.0 mil)	Multi-Layers	✓		✓	✓	Matte	White	250	10.0	230	36, 42, 54, 60	30, 50	98.4, 164
WDF350	Eco-Sol Pop Up Blockout 350 Matte	Multi-Layers	✓		✓	✓	Matte	White	340	13.6	360	36, 42, 54, 60	30, 50	150, 164
WDF450	Blockout Roll Up Display Banner Matte / 450 µm (18.0 mil)	Multi-Layers	✓		✓	✓	Matte	White	450	18.0	510	36, 42, 54, 60	30, 50	98.4, 164
LDF220	Blockout Roll Up Display Banner Both Sides Printable with Latex and UV Matte / 220 µm (8.8 mil)	Multi-Layers			✓	✓	Matte	White	220	8.8	252	36, 42, 54, 60	30, 50	98.4, 164


FEATURE

- Generates vivid color and has quick-drying properties.
- Easy to install because there is minimum film curl.
- A large variation of thicknesses.
- The hard surface* makes it resistant to scratches.

APPLICATION

- Walls
- Roll up & pop-up banners
- Shop displays
- Billboards

*The hard surface is made to order and can be applied to all products.



1-2612 Sugeta, Tenpaku-ku, Nagoya Japan

P. +81-52-908-1517 F. +81-52-908-1518

E. sales@vontmedia.com

VONT is a brand managed by Yuhan SC Co., Ltd.

Product manufacturing and development is carried out by Yuhan SC Co., Ltd."

ECONOMY BANNER

CODE	PRODUCT	BASE	INK COMPATIBILITY				SURFACE	BACK SIDE	THICKNESS		WEIGHT (g/m ²)	WIDTH (INCH)	LENGTH (M)	LENGTH (ft)
			WATER BASED	(ECO) SOLVENT	LATEX	UV			(µm)	(mil)				
SSP200G	Blockout Synthetic Paper Matte / 200 µm (8 mil) / Gray Back	PP		✓	✓	✓	Matte	Gray	200	8.0	232	36, 42, 54, 60	30, 50	98.4, 164
SSP200W	Blockout Synthetic Paper Matte / 200 µm (8 mil)	PP		✓	✓	✓	Matte	White	200	8.0	232	36, 42, 54, 60	30, 50	98.4, 164
SSP200D	Blockout Synthetic Paper Matte / 220 µm (8.8 mil) / Both Sides Printable	PP		✓	✓	✓	Matte	Printable	220	8.8	252	36, 42, 54, 60	30, 50	98.4, 164
WSP200G	Blockout Synthetic Paper Matte / 200 µm (8 mil) / Gray Back	PP	✓		✓	✓	Matte	Gray	200	8.0	232	36, 42, 54, 60	30, 50	98.4, 164
WSP200W	Blockout Synthetic Paper Matte / 200 µm (8 mil)	PP	✓		✓	✓	Matte	White	200	8.0	232	36, 42, 54, 60	30, 50	98.4, 164

FEATURE

- Vivid color generating and quick drying property.
- Easy to install because there is minimum film curl.
- A large variation of thicknesses.
- The hard surface* makes it resistant to scratches.

APPLICATION

- Walls
- Roll up & pop-up banners
- Shop displays
- Billboards



*The hard surface is made to order and can be applied to all products.

1-2612 Sugeta, Tenpaku-ku, Nagoya Japan

P. +81-52-908-1517 F. +81-52-908-1518

E. sales@vontmedia.com

VONT is a brand managed by Yuhan SC Co., Ltd.

Product manufacturing and development is carried out by Yuhan SC Co., Ltd."

PRESSURE-SENSITIVE ADHESIVE FILMS

CODE	PRODUCT	BASE	INK COMPATIBILITY				SURFACE	BACK SIDE	THICKNESS		WEIGHT (g/m ²)	WIDTH (INCH)	LENGTH (M)	LENGTH (ft)
			WATER BASED	(ECO) SOLVENT	LATEX	UV			(µm)	(mil)				
WSP-CF	Self-Adhesive Synthetic Paper Matte / 110 µm (4.4mil) / Clear Permanent Adhesive	PP	✓		✓	✓	Matte	PET Liner	110	4.4	212	36, 42 , 54, 60	30, 50	98.4, 164
WSP-CFR	Self-Adhesive Synthetic Paper Matte / 110 µm (4.4 mil) / Clear Removable Adhesive	PP	✓		✓	✓	Matte	PET Liner	110	4.4	212	36, 42 , 54, 60	30, 50	98.4, 164
WSP-CAF	Self-Adhesive Synthetic Paper Matte / 110 µm (4.4 mil) / Clear Bubble Free Adhesive	PP	✓		✓	✓	Matte	Double PE Paper	110	4.4	212	36, 42 , 54, 60	30, 50	98.4, 164
WSP-GF	Self-Adhesive Synthetic Paper Matte / 110 µm (4.4 mil) / Gray Permanent Adhesive	PP	✓		✓	✓	Matte	PET Liner	110	4.4	212	36, 42 , 54, 60	30, 50	98.4, 164
WSP-GFR	Self-Adhesive Synthetic Paper Matte / 110 µm (4.4 mil) / Gray Removable Adhesive	PP	✓		✓	✓	Matte	PET Liner	110	4.4	212	36, 42 , 54, 60	30, 50	98.4, 164
WSP-GAF	Self-Adhesive Synthetic Paper Matte / 110 µm (4.4 mil) / Gray Bubble Free Adhesive	PP	✓		✓	✓	Matte	Double PE Paper	110	4.4	212	36, 42 , 54, 60	30, 50	98.4, 164


FEATURE

- Vivid colors.
- Gray adhesive for opacity.
- Bubble-free adhesive for easy application and removal.

APPLICATION

- Indoor signs
- Short-term outdoor signs
- Wall signs

Some products require lamination.



TEXTILE

CODE	PRODUCT	BASE	INK COMPATIBILITY				SURFACE	BACK SIDE	THICKNESS		WEIGHT (g/m ²)	WIDTH (INCH)	LENGTH (M)	LENGTH (ft)
			WATER BASED	(ECO) SOLVENT	LATEX	UV			(µm)	(mil)				
SLC	Light Cloth Semi-Glossy / 160 µm (6.4 mil)	PEs		✓	✓	✓	Semi-Glossy	-	160	6.4	224	36, 42, 54, 60	30, 50	98.4, 164
STC	Self-Adhesive Textile Semi-Glossy / 160 µm (6.4 mil)	PEs		✓	✓	✓	Semi-Glossy	Double PE Paper	160	6.4	279	36, 42, 54, 60	30, 50	98.4, 164

FEATURE

- The products generate vivid color.
- STC is equipped with an adhesive with excellent removability (ideal for wall stickers or other interior designs).

APPLICATION

- Wall graphics
- Interior designs
- Textile billboards
- Galleries

