

SHORT-TERM SELF-ADHESIVE VINYL

		BASE	SURFACE	тніск	NESS		INK COMP	ATIBILITY			RELEASE		WEIGHT	WIDTH	LENGTH	LENGTH
CODE	PRODUCT			(µm)	(mil)	WATER BASED	(ECO) SOLVENT	LATEX	UV	ADHESIVE	LINER	DURABILITY	(g/m²)	(in)	(m)	(ft)
ESG-CA	Short Term Vinyl Glossy / 100 µm (4.0 mil) / Clear Permanent Adhesive	PVC (Calendered)	Glossy	100	4.0		✓	✓	✓	Clear, Permanent	Double PE Paper	1 Year	300	54, 60	30, 50	98.4, 164
ESM-CA	Short Term Vinyl Matte / 100 μm (4.0 mil) / Clear Permanent Adhesive	PVC (Calendered)	Matte	100	4.0		✓	✓	✓	Clear, Permanent	Double PE Paper	1 Year	300	54, 60	30, 50	98.4, 164
ESG-CAF	Short Term Vinyl Glossy / 100 µm (4.0 mil) / Clear Bubble Free Adhesive	PVC (Calendered)	Glossy	100	4.0		✓	✓	✓	Clear, Bubble Free	Double PE Paper	1 Year	305	54, 60	30, 50	98.4, 164
ESM-CAF	Short Term Vinyl Matte / 100 μm (4.0 mil) / Clear Bubble Free Adhesive	PVC (Calendered)	Matte	100	4.0		✓	✓	✓	Clear, Bubble Free	Double PE Paper	1 Year	305	54, 60	30, 50	98.4, 164
ESG-GA	Short Term Vinyl Glossy / 100 µm (4.0 mil) / Gray Permanent Adhesive	PVC (Calendered)	Glossy	100	4.0		✓	✓	✓	Gray, Permanent	Double PE Paper	1 Year	300	54, 60	30, 50	98.4, 164
ESM-GA	Short Term Vinyl Matte / 100 μm (4.0mil) / Gray Permanent Adhesive	PVC (Calendered)	Matte	100	4.0		✓	✓	✓	Gray, Permanent	Double PE Paper	1 Year	300	54, 60	30, 50	98.4, 164
ESG-GAF	Short Term Vinyl Glossy / 100 µm (4.0 mil) / Gray Bubble Free Adhesive	PVC (Calendered)	Glossy	100	4.0		✓	✓	✓	Gray, Bubble Free	Double PE Paper	1 Year	305	54, 60	30, 50	98.4, 164
ESM-GAF	Short Term Vinyl Matte / 100 μm (4.0 mil) / Gray Bubble Free Adhesive	PVC (Calendered)	Matte	100	4.0		✓	✓	√	Gray, Bubble Free	Double PE Paper	1 Year	305	54, 60	30, 50	98.4, 164


- Width and length can be adjusted.

FEATURE

- · Monomeric vinyl.
- · Competitive price.
- · Ideal for short-term outdoor events.
- A large variation of adhesive products for many different purposes.

APPLICATION

- Short-term outdoor sign
- Events
- Indoor sign



1-2612 Sugeta, Tenpaku-ku, Nagoya Japan

P. +81-52-908-1517 F. +81-52-908-1518



MEDIUM-TERM SELF-ADHESIVE VINYL

	PRODUCT	BASE	SURFACE	THICK	(NESS		INK COMP	ATIBILITY			RELEASE		WEIGHT	WIDTH	LENGTH	LENGTH
CODE				(µm)	(mil)	WATER BASED	(ECO) SOLVENT	LATEX	UV	ADHESIVE	LINER	DURABILITY	(g/m²)	(in)	(m)	(ft)
PSG-CA	Medium Term Vinyl Glossy / 80 μm (3.2 mil) / Clear Permanent Adhesive	PVC (Calendered)	Glossy	80	3.2		✓	✓	✓	Clear, Permanent	Double PE Paper	3 Year	272	54, 60	30, 50	98.4, 164
PSM-CA	Medium Term Vinyl Matte / 80 μm (3.2 mil) / Clear Permanent Adhesive	PVC (Calendered)	Matte	80	3.2		✓	✓	✓	Clear, Permanent	Double PE Paper	3 Year	272	54, 60	30, 50	98.4, 164
PSG-CAF	Medium Term Vinyl Glossy / 80μm (3.2 mil) / Clear Bubble Free Adhesive	PVC (Calendered)	Glossy	80	3.2		✓	✓	✓	Clear, Bubble Free	Double PE Paper	3 Year	277	54, 60	30, 50	98.4, 164
PSM-CAF	Medium Term Vinyl Matte / 80 μm (3.2 mil) / Clear Bubble Free Adhesive	PVC (Calendered)	Matte	80	3.2		✓	✓	✓	Clear, Bubble Free	Double PE Paper	3 Year	277	54, 60	30, 50	98.4, 164
PSG-GA	Medium Term Vinyl Glossy / 80 μm (3.2 mil) / Gray Permanent Adhesive	PVC (Calendered)	Glossy	80	3.2		✓	✓	✓	Gray, Permanent	Double PE Paper	3 Year	272	54, 60	30, 50	98.4, 164
PSM-GA	Medium Term Vinyl Matte / 80 μm (3.2 mil) / Gray Permanent Adhesive	PVC (Calendered)	Matte	80	3.2		✓	✓	✓	Gray, Permanent	Double PE Paper	3 Year	272	54, 60	30, 50	98.4, 164
PSG-GAF	Medium Term Vinyl Glossy / 80 μm (3.2 mil) / Gray Bubble Free Adhesive	PVC (Calendered)	Glossy	80	3.2		✓	✓	✓	Gray, Bubble Free	Double PE Paper	3 Year	277	54, 60	30, 50	98.4, 164
PSM-GAF	Medium Term Vinyl Matte / 80 μm (3.2 mil) / Gray Bubble Free Adhesive	PVC (Calendered)	Matte	80	3.2		✓	✓	✓	Gray, Bubble Free	Double PE Paper	3 Year	277	54, 60	30, 50	98.4, 164

- Width and length can be adjusted.

FEATURE

- · Polymeric vinyl.
- · Excellent heat and weather resistance.
- Excellent functional adhesives with different adhesive colors.
- Bubble-free products for easy application.
- Excellent compatibility with eco-solvent and latex printer.

APPLICATION

- · Outdoor sign
- · Indoor display sign
- · Window and walls



Vinyl used in the PS series is finished to a specification that the plasticizer is safe for children under three.

1-2612 Sugeta, Tenpaku-ku, Nagoya Japan

P. +81-52-908-1517 F. +81-52-908-1518

E. sales@vontmedia.com

VONT is a brand managed by Yuhan SC Co.,Ltd.

Product manufacturing and development is carried out by Yuhan SC Co., Ltd."



LONG-TERM SELF-ADHESIVE VINYL

227	PRODUCT		SURFACE	тніск	NESS		INK COMP	ATIBILITY			RELEASE		WEIGHT	WIDTH	LENGTH	LENGTH
CODE		BASE		(µm)	(mil)	WATER BASED	(ECO) SOLVENT	LATEX	UV	ADHESIVE	LINER	DURABILITY	(g/m²)	(in)	(m)	(ft)
SSG-CA	Long Term Vinyl Glossy / 80 μm (3.2 mil) / Clear Permanent Adhesive	PVC (Calendered)	Glossy	80	3.2		✓	✓	✓	Clear, Permanent	Double PE Paper	4 to 5 Years	272	54, 60	30, 50	98.4, 164
SSM-CA	Long Term Vinyl Matte / 80 μm (3.2 mil) / Clear Permanent Adhesive	PVC (Calendered)	Matte	80	3.2		✓	✓	✓	Clear, Permanent	Double PE Paper	4 to 5 Years	272	54, 60	30, 50	98.4, 164
SSG-CAF	Long Term Vinyl Glossy / 80 μm (3.2 mil) / Clear Bubble Free Adhesive	PVC (Calendered)	Glossy	80	3.2		✓	✓	✓	Clear, Bubble Free	Double PE Paper	4 to 5 Years	277	54, 60	30, 50	98.4, 164
SSM-CAF	Long Term Vinyl Matte / 80 μm (3.2 mil) / Clear Bubble Free Adhesive	PVC (Calendered)	Matte	80	3.2		✓	✓	✓	Clear, Bubble Free	Double PE Paper	4 to 5 Years	277	54, 60	30, 50	98.4, 164
SSG-GA	Long Term Vinyl Glossy / 80 μm (3.2 mil) / Gray Permanent Adhesive	PVC (Calendered)	Glossy	80	3.2		✓	✓	✓	Gray, Permanent	Double PE Paper	4 to 5 Years	272	54, 60	30, 50	98.4, 164
SSM-GA	Long Term Vinyl Matte / 80 μm (3.2 mic) / Gray Permanent Adhesive	PVC (Calendered)	Matte	80	3.2		✓	✓	✓	Gray, Permanent	Double PE Paper	4 to 5 Years	272	54, 60	30, 50	98.4, 164
SSG-GAF	Long Term Vinyl Glossy / 80 μm (3.2 mil) / Gray Bubble Free Adhesive	PVC (Calendered)	Glossy	80	3.2		✓	✓	✓	Gray, Bubble Free	Double PE Paper	4 to 5 Years	277	54, 60	30, 50	98.4, 164
SSM-GAF	Long Term Vinyl Matte / 80 μm (3.2 mil) / Gray Bubble Free Adhesive	PVC (Calendered)	Matte	80	3.2		✓	✓	✓	Gray, Bubble Free	Double PE Paper	4 to 5 Years	277	54, 60	30, 50	98.4, 164

- Width and length can be adjusted.

FEATURE

- · Polymeric vinyl.
- Best heat and weather resistance among the vinyl lineups.
- Excellent functional adhesives with different adhesive colors.
- Bubble-free products for easy application.
- Excellent compatibility with eco-solvent and latex printer.

APPLICATION

- · Outdoor sign
- · Indoor display sign
- · Window and walls



Vinyl used in the SS series is finished to a specification that the plasticizer is safe for children under three years old.

1-2612 Sugeta, Tenpaku-ku, Nagoya Japan

P. +81-52-908-1517 F. +81-52-908-1518

E. sales@vontmedia.com

VONT is a brand managed by Yuhan SC Co.,Ltd.

Product manufacturing and development is carried out by Yuhan SC Co., Ltd."



TRANSPARENT VINYL

2005	PRODUCT	BASE	SURFACE	THICK	NESS	ı	NK COMPAT	IBILITY			RELEASE	DUDABULTY	WEIGHT	WIDTH	LENGTH	LENGTH
CODE				(µm)	(mil)	WATER BASED	(ECO) SOLVENT	LATEX	UV	ADHESIVE	LINER	DURABILITY	(g/m²)	(in)	(m)	(ft)
PSTG	Transparent Vinyl Ultra Transparent / 90 μm (3.6 mil) / Clear Removable Adhesive	PVC (Calendered)	Ultra Transparent	90	3.6		✓	✓	✓	Clear, Removable	Matte PET	1 to 2Year	286	54	30, 50	98.4, 164
PSCL	Transparent Vinyl Transparent / 80 µm (3.2 mil) / Clear Removable Adhesive	PVC (Calendered)	Transparent	80	3.2		✓	✓	✓	Clear, Removable	Matte PET	1 to 2Year	272	54	30, 50	98.4, 164
PSTM	Frosted Vinyl Matte / 80 µm (3.2 mil) / Clear Permanent Adhesive	PVC (Calendered)	Matte	80	3.2		✓	✓	✓	Clear, Permanent	Double PE Paper	2 to 3Year	272	54	30, 50	98.4, 164
PSTM-AF	Frosted Vinyl Matte / 80 µm (3.2 mil) / Clear Bubble Removable Adhesive	PVC (Calendered)	Matte	80	3.2		✓	✓	✓	Clear, Removable	Double PE Paper	2 to 3Year	277	54	30, 50	98.4, 164
PSTW	Wood Grain Transparent Vinyl Embossed / 90 μm (3.6 mil) / Clear Removable Adhesive	PVC (Calendered)	Embossed	90	3.6		✓	✓	✓	Clear, Removable	Double PE Paper	2 to 3Year	286	54	30, 50	98.4, 164
PGF01	Frosted Vinyl Embossed / 250 µm (10.0 mil) / Static Cling	PVC (Calendered)	Embossed	250	10.0		✓	✓	✓	Static Cling	PET	1 to 2Year	420	48	20, 30	65.6, 98.4
PGF02	Frosted Vinyl Embossed / 250 µm (10.0 mil) / Static Cling	PVC (Calendered)	Embossed	250	10.0		✓	✓	✓	Static Cling	PET	1 to 2Year	420	48	20, 30	65.6, 98.4

FEATURE

- · Highly transparent and embossed vinyl for window decoration.
- PSTM-AF and PGF are frosted and can be used as privacy glass.

APPLICATION

- Window sign
- · Window decoration
- Glass







1-2612 Sugeta, Tenpaku-ku, Nagoya Japan

P. +81-52-908-1517 F. +81-52-908-1518



COVERING VINYL

	PRODUCT	BASE	SURFACE	THIC	KNESS	INK COMPATIBILITY					,_ RELEASE		WEIGHT	WIDTH	LENGTH	LENGTH
CODE				(µm)	(mil)	WATER BASED	(ECO) SOLVENT	LATEX	UV	ADHESIVE	LINER	DURABILITY	(g/m²)	(in)	(m)	(ft)
PSBG	Blockout Vinyl Glossy / 180 μm (7.2 mil) / Clear Permanent Adhesive	PVC (Calendered)	Glossy	180	7.2		✓	✓	✓	Clear, Permanent	Double PE Paper	3 Year	412	54	30, 50	98.4, 164
CSG	High Concealment Vinyl Glossy / 90 μm (3.6 mil) / Clear Removable Adhesive	PVC (Calendered)	Glossy	90	3.6		✓	✓	✓	Clear, Removable	Double PE Paper	1 Year	286	54	30, 50	98.4, 164
CSM	High Concealment Vinyl Matte / 90 μm (3.6 mil) / Clear Removable Adhesive	PVC (Calendered)	Matte	90	3.6		✓	✓	✓	Clear, Removable	Double PE Paper	1 Year	286	54	30, 50	98.4, 164

FEATURE

- Vinyl with high-concealment property.
- · Good removability.
- · Ideal for covering up signs of an establishment before opening.
- PSBG is 100% vinyl with a light blocking effect of 99% or more.

APPLICATION

- · Sign covering
- Double-sided display*
- *PSBG can be used with PSCL transparent vinyl on the opposite side giving it a double-sided effect.

PSBG + PSCL (Transparent Vinyl)



Vinyl used in the SS series is finished to a specification that the plasticizer is safe for children under three years old.

1-2612 Sugeta, Tenpaku-ku, Nagoya Japan

P. +81-52-908-1517 F. +81-52-908-1518



LAMINATION FILM

2225		BASE	SURFACE	тніск	NESS	ı	NK COMPAT	TIBILITY			RELEASE	DUDABILITY	WEIGHT	WIDTH	LENGTH	LENGTH
CODE	PRODUCT		SURFACE	(µm)	(mil)	WATER BASED	(ECO) SOLVENT	LATEX	UV	ADHESIVE	LINER	DURABILITY	(g/m²)	(in)	(m)	(ft)
LF-GPG	Short Medium Term Lamination Film Glossy / 70 μm (2.8 mil)	PVC (Calendered)	Glossy	70	2.8					Clear, Permanent	Single PE Paper	1 to 2 Year	258	54, 60	30, 50	98.4, 164
LF-GPM	Short Medium Term Lamination Film Matte / 70 µm (2.8 mil)	PVC (Calendered)	Matte	70	2.8					Clear, Permanent	Single PE Paper	1 to 2 Year	258	54, 60	30, 50	98.4, 164
LF-MPG	Medium Term Lamination Film Glossy / 70 μm (2.8 mil)	PVC (Calendered)	Glossy	70	2.8					Clear, Permanent	Single PE Paper	3 Year	258	54, 60	30, 50	98.4, 164
LF-MPM	Medium Term Lamination Film Matte / 70 μm (2.8 mil)	PVC (Calendered)	Matte	70	2.8					Clear, Permanent	Single PE Paper	3 Year	258	54, 60	30, 50	98.4, 164
LF-LPG	Long Term Lamination Film Glossy / 70 μm (2.8 mil)	PVC (Calendered)	Glossy	70	2.8					Clear, Permanent	Single PE Paper	5 Year	258	54, 60	30, 50	98.4, 164
LF-LPM	Long Term Lamination Film Matte / 70 μm (2.8 mil)	PVC (Calendered)	Matte	70	2.8					Clear, Permanent	Single PE Paper	5 Year	258	54, 60	20, 30	98.4, 164

FEATURE

- PVC film with excellent weather resistance.
- For short, medium, and long-term outdoor use.

APPLICATION

- Outdoor / indoor signboards for lamination
- · Short-term, medium-term, and long-term events
- Images that require high durability





Inkjet Media

1-2612 Sugeta, Tenpaku-ku, Nagoya Japan

P. +81-52-908-1517 F. +81-52-908-1518