

PVC FREE FILM

CODE	PRODUCT	BASE	TRANSPARENCY			FEATURE				INK COMPATIBILITY				BASE THICKNESS		WEIGHT (g/m ²)	WIDTH (INCH)	LENGTH (M)	LENGTH (ft)				
			ULTRA CLEAR	CLEAR	FROSTED	SCRATCH RESISTANT	BLOCK OUT	SURFACE	DURABILITY	WATER BASED	(ECO) SOLVENT	LATEX	UV	(mic)	(mil)								
SCF	5.2mil (130mic) Eco-sol Transparent PET Film	PET		✓				Glossy	Indoor			✓	✓	✓	130	5.2	170	54	30	98			
ACJG	2mil (50mic) Ultra Transparent Acrylic Film With Permanent Adh. / 4mil (100mic) Matte PET Liner	Acrylic	✓					Glossy	Indoor					✓	50	2.0	190	53	30	98			
LCF-RF	2mil (50mic) Ultra Transparent PET Film With Removable Adh. / 2mil (50mic) Clear PET Liner	PET	✓					Glossy	Indoor			✓	✓		50	2.0	160	50, 54	30	98			
SCF-CF	3.2mil (80mic) Eco-sol Transparent PET Film With Permanent Adh. / 2mil (50mic) Clear PET Liner	PET		✓				Glossy	Indoor			✓	✓	✓	80	3.2	190	54	30	98			
SCF-RF	3.2mil (80mic) Eco-sol Transparent PET Film With Removable Adh. / 2mil (50mic) Clear PET Liner	PET		✓				Glossy	Indoor			✓	✓	✓	80	3.2	190	54	30	98			
SCF-SA	3.0mil (75mic) Eco-sol Transparent PET Film With Silicone Adh. / 2mil (50mic) Matte PET Liner	PET		✓				Glossy	Indoor			✓	✓	✓	105	4.2	225	54	30	98			
SSPRW	6.4 mil (160mic) Eco-sol Blockout Matte PP Film With Super Removable Adh. / 2mil (50mic) Clear PET Liner	PP								✓	Matte	Indoor			✓	✓	✓	160	6.4	218	54	30	98

FEATURE

- These products are PVC free.
- The high level of transparency allows for clear and vivid graphics.
- Our wide range of specifications, such as durability, transparency, and the availability of both removable and silicon adhesives, simplifies the process of finding the exact product you need.



SCRATCH RESISTANT TOP COATING FILM

CODE	PRODUCT	BASE	TRANSPARENCY			FEATURE				INK COMPATIBILITY				BASE THICKNESS		WEIGHT (g/m ²)	WIDTH (INCH)	LENGTH (M)	LENGTH (ft)	
			ULTRA CLEAR	CLEAR	FROSTED	SCRATCH RESISTANT	BLOCK OUT	SURFACE	DURABILITY	WATER BASED	(ECO) SOLVENT	LATEX	UV	(mic)	(mil)					
UCFH	2mil (50mic) Ultra Transparent PET Film With Scratch Resistant & Permanent Adh. / 2mil (50mic) Clear PET Liner	PET	✓			✓			Glossy	Indoor				✓	50	2.0	160	61	30	98
UCFH-F100	2mil (50mic) Ultra Transparent PET Film With Scratch Resistant & Permanent Adh. / 4mil (100mic) Clear PET Liner	PET	✓			✓			Glossy	Indoor				✓	50	2.0	230	61	30	98
UCFH-250	10mil (250mic) Transparent PET Film With Scratch Resistant & Permanent Adh. / 2mil (50mic) Clear PET Liner	PET		✓		✓			Glossy	Indoor				✓	250	10.0	440	50	20, 30	66, 98
UCFH-M	2mil (50mic) Frosted PET Film With Scratch Resistant & Permanent Adh. / 2mil (50mic) Clear PET Liner	PET			✓	✓			Matte	Indoor				✓	50	2.0	160	61	30	98

FEATURE

- These products are PVC free.
- The scratch resistant coating protects the image from even the smallest of scratches.
- These have excellent transparency, and it is the best lineup for window signs.
- The UCFH-M has a high-end frosted effect and can also be used as a projector screen.



SELF-ADHESIVE VINYL

CODE	PRODUCT	BASE	TRANSPARENCY			FEATURE				INK COMPATIBILITY				BASE THICKNESS		WEIGHT (g/m ²)	WIDTH (INCH)	LENGTH (M)	LENGTH (ft)
			ULTRA CLEAR	CLEAR	FROSTED	SCRATCH RESISTANT	BLOCK OUT	SURFACE	DURABILITY	WATER BASED	(ECO) SOLVENT	LATEX	UV	(mic)	(mil)				
PSBG	7.2mil (180mic) Eco-sol Blockout Glossy Vinyl With Permanent Adh. / Double PE Paper	PVC (Calendered)					✓	Glossy	2~3 Years		✓	✓	✓	180	7.2	412	54	30	98
PSTG	3.6mil (90mic) Eco-sol Ultra Transparent Vinyl With Removable Adh. / 4mil (100mic) Matte PET Liner	PVC (Calendered)	✓					Glossy	2~3 Years		✓	✓	✓	90	3.6	246	54	30	98
PSCL	3.2mil (80mic) Eco-sol Transparent Vinyl With Permanent Adh. / Double PE Paper	PVC (Calendered)		✓				Glossy	2~3 Years		✓	✓	✓	80	3.2	272	54	30	98
PSTM	3.2mil (80mic) Eco-sol Frosted Vinyl With Bubble Free Removable Adh. / Double PE Paper	PVC (Calendered)			✓			Matte	2~3 Years		✓	✓	✓	80	3.2	272	54, 60	30	98
PSTM-AF	3.2mil (80mic) Eco-sol Frosted Vinyl With Bubble Free Removable Adh. / Double PE Paper	PVC (Calendered)			✓			Matte	2~3 Years		✓	✓	✓	80	3.2	275	54, 60	30	98
PGF01	10mil (250mic) Eco-sol Frosted Micro-embossed Vinyl With Static Cling / 2mil (50mic) Clear PET Liner	PVC (Calendered)			✓			Matte	2~3 Years		✓	✓	✓	250	10.0	420	48	20	66
PGF02	10mil (250mic) Eco-sol Frosted Embossed Vinyl With Static Cling / 2mil (50mic) Clear PET Liner	PVC (Calendered)			✓			Matte	2~3 Years		✓	✓	✓	250	10.0	420	48	20	66

FEATURE

- PSBG has a 99% light blocking rate. When PSCL (Transparent Polymeric Vinyl) is combined with another film*, it is possible to use on both sides with transparent glass or acrylic panel.
- PSTG is a crystal-clear vinyl, and it is highly recommended for window signages.
- PSTM-AF is a vinyl with a 70% frosted effect and has a bubble free adhesive which make it easy to install.
- The PGF series has two levels of embossments with frosted effect. Since it uses static cling, installation is quick, and it can be reapplied many times.
- These are safe to use since it does not fall under RoHSII or REACH.

*For long-term usage, we do not recommend PSTG.



1-2612 Sugeta, Tenpaku-ku, Nagoya Japan

P. +81-52-908-1517 F. +81-52-908-1518

E. sales@vontmedia.com

VONT is a brand managed by Yuhan SC Co., Ltd.

Product manufacturing and development is carried out by Yuhan SC Co., Ltd."